

①

**Dr. A. S. Vasudev**

M.B.B.S., D.Ped., D.N.B., D.C.P., MNAMS, FIAP  
Fellow International Medical Sciences Academy

**CONSULTANT PEDIATRIC NEPHROLOGIST**  
(Children Kidney and Urinary Diseases)

From  
**ALL INDIA INSTITUTE OF MEDICAL SCIENCES**  
New Delhi

Presently : Sr. Consultant  
Apollo Hospitals  
Holy Family Hospital  
Max Hospitals  
New Delhi (India)

Visiting  
Department of Pediatric Nephrology  
Montefiore Children's Hospital  
Albert Einstein University, New York (USA)

Deptl. of Pediatric Nephrology  
Medical College of Wisconsin  
Milwaukee, WI, (USA)

Clinic :  
"SHAISHAV"  
181, Pocket-A,  
Mayapuri Vihar, Phase-4,  
Delhi - 110081, India  
Ph: 011-22779484, 22778352  
(Consultation by Appointment)

Life Member  
Indian Academy of Pediatrics  
Indian Society of Nephrology  
Indian Society of Pediatric Nephrology  
International Pediatric Nephrology Assoc.  
Delhi Nephrology Society



President IAP Delhi State (2011)  
Exec. Director IAP (H.Q.) 2011, 2012  
Joint Secretary IAP (H.Q.) 2014, 2015  
Convener, NCD, TAG, Asia Pacific Ped. Assn. (2016-2018)  
Advisor, Indian Pediatrics (Official Journal of IAP) 2017-2018

Dr D.S. Malik  
(Shamli  
UP)

4/9/20  
Teleconsult

RIDHIMA 8 1/2 yr F.

22 kg

f/c of Rec UTI

Taken multiple courses of antibiotics

25g Urine R/OI Post Trace WBC > 100 RBC nil  
C/S E. Coli @ NFT

KFT 33/0.9

CBC 143, TLC Disc pt

USG 1.9.20 -> Rt Kid 7 x 3 cm

Lt " 7.2 x 3.7 cm

Lt lower ureter dilated

UB wall thickened.

Taking NFT 50mg TDS.

Discussed with father. Plan VCUG/MCUA, DMSA.

Adv 1. MCUA study. Apollo Hospital, Gate 7, on 5/9/20 11 am.

Contact Dr Anwar: 8799726354 on reaching Gate 7

2. -Sup Augmentin <sup>DDS</sup> 5 ml QD (start 4/9/20) for 3 days.

3. Precautions of Hygiene & perineal cleaning.

4. Avoid Constipation.

Review with the parents.

14/9/20

RIDHIMA F 8 1/2 yr F/c Bk. VUR gr IV

Teleconsult. DMSA = 13.9.20. (National Heart Institute N. Delhi)

Lt Kid = Cortical fx preserved  
Scars at both poles

Rt Kid = Scars at both poles. Cortical fx deranged.

Diff Fx Rt 38%. Lt 62%.

Adv 1. Ped Surgical Consult for antireflux measures.


2. Continue Mestifor (50) at bedtime daily

3. Review

4. Pab. check with proper size cuff

5. Discussed with father regarding further management

**DEPARTMENT OF RADIOLOGY**

**Patient Details** : Ms. RIDHIMA . | Female | 8Yr 7Mth 17Days  
**UHID** : APD1.0011146305 **Patient Location:** OP  
**Patient Identifier:** DEL1OPP2752153   
**DRN** : 120542498 **Completed on :** 05-SEP-2020 12:26  
**Ref Doctor** : Dr. A. S. VASUDEV

**EXAMINATION PERFORMED : GENITO-URINARY MCU**

**Report ::**

280 ml of contrast laden saline was instilled in the urinary bladder via a transurethral catheter.


Bilateral grade-IV vesico-ureteric reflux noted.

The urinary bladder appears normally contoured.

The micturating cystourethrogram shows a normally structured urethra. The patient micturated forcefully.

Moderate residual post void residual urine noted.

--- END OF THE REPORT ---

  
DR. BALRAJ SINGH GILL  
SENIOR CONSULTANT

*Keep the records carefully and bring them along during your next visit to our hospital*

For enquiry & appointments contact : **011-26925801 / 26925858**

Printed on : 05-Sep-2020 11:41 AM Printed By : 1095246 Reported By : 121475

Page 1 of 1

Inraprastha Apollo Hospitals, Sarita Vihar, Delhi-Mathura Road, New Delhi-110 076.  
Phone : +91-11-26925801, 26925858. Fax : +91-11-26823629 Email : assistance@apollohospitalsdelhi.com

SP