

Name : Mr. VINAY TIWARI
 Lab No. : 458505930
 Ref By : Dr.ANOOP AWASTHI
 Collected : 9/12/2023 4:30:00PM
 A/c Status : P
 Collected at : FATEPUR COLLECTION CENTRE
 Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob -
 9336615028
 KANPUR

Age : 49 Years
 Gender : Male
 Reported : 10/12/2023 9:35:53AM
 Report Status : Final
 Processed at : Paliwal Diagnostics Pvt. Ltd.
 117/H-1/02 ,Pandu Nagar Kanpur, Uttar
 Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
SwasthFit Super 4			
LIVER & KIDNEY PANEL, SERUM			
Creatinine (Modified Jaffe, Kinetic)	0.98	mg/dL	0.67 - 1.17
GFR Estimated (CKD EPI Equation 2021)	95	mL/min/1.73m2	>59
GFR Category (KDIGO Guideline 2012)	G1		
Urea (Urease UV)	21.75	mg/dL	17.00 - 43.00
Urea Nitrogen Blood (Calculated)	10.16	mg/dL	6.00 - 20.00
BUN/Creatinine Ratio (Calculated)	10		
Uric Acid (Uricase / POD)	6.17	mg/dL	3.50 - 7.20
AST (SGOT) (IFCC without P5P)	28.5	U/L	<50
ALT (SGPT) (IFCC without P5P)	45.5	U/L	<50
GGTP (IFCC)	34.0	U/L	<55
Alkaline Phosphatase (ALP) (IFCC, AMP - BUFFER)	113.00	U/L	30 - 120
Bilirubin Total (DPD)	0.48	mg/dL	0.30 - 1.20
Bilirubin Direct (DPD)	0.08	mg/dL	<0.2
Bilirubin Indirect (Calculated)	0.40	mg/dL	<1.10
Total Protein (Biuret)	7.62	g/dL	6.40 - 8.30
Albumin (BCG)	4.69	g/dL	3.50 - 5.20
A : G Ratio (Calculated)	1.60		0.90 - 2.00
Globulin(Calculated)	2.93	gm/dL	2.0 - 3.5
Calcium, Total (Arsenazo III)	9.72	mg/dL	8.80 - 10.60



Name : Mr. VINAY TIWARI
 Lab No. : 458505930
 Ref By : Dr.ANOOP AWASTHI
 Collected : 9/12/2023 4:30:00PM
 A/c Status : P
 Collected at : FATEPUR COLLECTION CENTRE
 Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob -
 9336615028
 KANPUR

Age : 49 Years
 Gender : Male
 Reported : 10/12/2023 9:35:53AM
 Report Status : Final
 Processed at : Paliwal Diagnostics Pvt. Ltd.
 117/H-1/02 ,Pandu Nagar Kanpur, Uttar
 Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
Phosphorus (Molybdate UV)	4.13	mg/dL	2.40 - 4.40
Sodium (Indirect ISE)	137.11	mEq/L	136.00 - 146.00
Potassium (Indirect ISE)	3.99	mEq/L	3.50 - 5.10
Chloride (Indirect ISE)	102.26	mEq/L	101.00 - 109.00

Note

1. Estimated GFR (eGFR) calculated using the 2021 CKD-EPI creatinine equation and GFR Category reported as per KDIGO guideline 2012.
2. eGFR category G1 or G2 does not fulfil the criteria for CKD, in the absence of evidence of kidney damage
3. The BUN-to-creatinine ratio is used to differentiate prerenal and postrenal azotemia from renal azotemia. Because of considerable variability, it should be used only as a rough guide. Normally, the BUN/creatinine ratio is about 10:1

LIPID SCREEN, SERUM

Cholesterol, Total (CHO - POD)	292.72	mg/dL	<200.00
Triglycerides (GPO - POD)	195.54	mg/dL	<150.00
HDL Cholesterol (Enzymatic immuno inhibition)	56.15	mg/dL	>40.00
LDL Cholesterol, Calculated (Calculated)	197.46	mg/dL	<100.00
VLDL Cholesterol, Calculated (Calculated)	39.11	mg/dL	<30.00
Non-HDL Cholesterol (Calculated)	237	mg/dL	<130

Note

1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
2. Friedewald equation to calculate LDL cholesterol is most accurate when Triglyceride level is < 400 mg/dL. Measurement of Direct LDL cholesterol is recommended when Triglyceride level is > 400 mg/dL
3. Lipid Association of India (LAI) recommends screening of all adults above the age of 20 years for



Name : Mr. VINAY TIWARI
 Lab No. : 458505930
 Ref By : Dr.ANOOP AWASTHI
 Collected : 9/12/2023 4:30:00PM
 A/c Status : P
 Collected at : FATEPUR COLLECTION CENTRE
 Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob -
 9336615028
 KANPUR

Age : 49 Years
 Gender : Male
 Reported : 10/12/2023 9:35:53AM
 Report Status : Final
 Processed at : Paliwal Diagnostics Pvt. Ltd.
 117/H-1/02 ,Pandu Nagar Kanpur, Uttar
 Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
Atherosclerotic Cardiovascular Disease (ASCVD) risk factors especially lipid profile. This should be done earlier if there is family history of premature heart disease, dyslipidemia, obesity or other risk factors			
4. Indians tend to have higher triglyceride levels & Lower HDL cholesterol combined with small dense LDL particles, a pattern known as atherogenic dyslipidemia			
5. Non HDL Cholesterol comprises the cholesterol carried by all atherogenic particles, including LDL, IDL, VLDL & VLDL remnants, Chylomicron remnants & Lp(a)			
6. LAI recommends LDL cholesterol as primary target and Non HDL cholesterol as co-primary treatment target			
7. Apolipoprotein B is an, secondary lipid target for treatment once LDL & Non HDL goals have been achieved			
8. Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement			

Treatment Goals as per Lipid Association of India 2020

RISK CATEGORY	TREATMENT GOAL		CONSIDER THERAPY	
	LDL CHOLESTEROL (LDL-C) (mg/dL)	NON HDL CHOLESTEROL (NON HDL-C) (mg/dL)	LDL CHOLESTEROL (LDL-C) (mg/dL)	NON HDL CHOLESTEROL (NON HDL-C) (mg/dL)
Extreme Risk Group Category A	<50 (Optional goal ≤30)	<80 (Optional goal ≤60)	≥50	≥80
Extreme Risk Group Category A	≤30	≤60	>30	>60
Very High	<50	<80	≥50	≥80
High	<70	<100	≥70	≥100
Moderate	<100	<130	≥100	≥130
Low	<100	<130	≥130*	≥160*

*In low risk patient, consider therapy after an initial non-pharmacological intervention for at least 3 months



Name : Mr. VINAY TIWARI
 Lab No. : 458505930
 Ref By : Dr.ANOOP AWASTHI
 Collected : 9/12/2023 4:30:00PM
 A/c Status : P
 Collected at : FATEPUR COLLECTION CENTRE
 Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob -
 9336615028
 KANPUR

Age : 49 Years
 Gender : Male
 Reported : 10/12/2023 9:35:53AM
 Report Status : Final
 Processed at : Paliwal Diagnostics Pvt. Ltd.
 117/H-1/02 ,Pandu Nagar Kanpur, Uttar
 Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT;CBC (SLS METHOD, SHEATH FLOW DC DETECTION METHOD, FLUORESCENT FLOW CYTOMETRY & CALCULATED)			
Hemoglobin	15.50	g/dL	13.00 - 17.00
Packed Cell Volume (PCV)	51.00	%	40.00 - 50.00
RBC Count	5.03	mill/mm ³	4.50 - 5.50
MCV	101.40	fL	83.00 - 101.00
MCH	30.80	pg	27.00 - 32.00
MCHC	30.40	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW)	14.70	%	11.60 - 14.00
Total Leukocyte Count (TLC)	7.01	thou/mm ³	4.00 - 10.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils	56.00	%	40.00 - 80.00
Lymphocytes	34.80	%	20.00 - 40.00
Monocytes	3.40	%	2.00 - 10.00
Eosinophils	4.90	%	1.00 - 6.00
Basophils	0.90	%	<2.00
Absolute Leucocyte Count			
Neutrophils	3.93	thou/mm ³	2.00 - 7.00
Lymphocytes	2.44	thou/mm ³	1.00 - 3.00
Monocytes	0.24	thou/mm ³	0.20 - 1.00
Eosinophils	0.34	thou/mm ³	0.02 - 0.50
Basophils	0.06	thou/mm ³	0.02 - 0.10
Platelet Count	328	thou/mm ³	150.00 - 410.00
Mean Platelet Volume	11.5	fL	6.5 - 12.0

Note

- As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of



Name : Mr. VINAY TIWARI	Age : 49 Years
Lab No. : 458505930	Gender : Male
Ref By : Dr.ANOOP AWASTHI	Reported : 10/12/2023 9:35:53AM
Collected : 9/12/2023 4:30:00PM	Report Status : Final
A/c Status : P	Processed at : Paliwal Diagnostics Pvt. Ltd.
Collected at : FATEPUR COLLECTION CENTRE Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob - 9336615028 KANPUR	117/H-1/02 ,Pandur Nagar Kanpur, Uttar Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

blood

2. Test conducted on EDTA whole blood



Name : Mr. VINAY TIWARI	Age : 49 Years
Lab No. : 458505930	Gender : Male
Ref By : Dr.ANOOP AWASTHI	Reported : 10/12/2023 9:35:53AM
Collected : 9/12/2023 4:30:00PM	Report Status : Final
A/c Status : P	Processed at : Paliwal Diagnostice Pvt. Ltd.
Collected at : FATEPUR COLLECTION CENTRE Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob - 9336615028 KANPUR	117/H-1/02 ,Pandu Nagar Kanpur, Uttar Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD (HPLC,NGSP certified)			
HbA1c	6.0	%	4.00 - 5.60
Estimated average glucose (eAG)	126	mg/dL	

Interpretation

HbA1c result is suggestive of at risk for Diabetes (Prediabetes)/ well controlled Diabetes in a known Diabetic

Interpretation as per American Diabetes Association (ADA) Guidelines

Reference Group	Non diabetic adults >=18 years	At risk (Prediabetes)	Diagnosing Diabetes	Therapeutic goals for glycemic control
HbA1c in %	4.0-5.6	5.7-6.4	>= 6.5	<7.0

Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH HbA1C MEASUREMENT	FACTORS THAT AFFECT INTERPRETATION OF HbA1C RESULTS
Hemoglobin variants, elevated fetal hemoglobin (HbF) and chemically modified derivatives of hemoglobin (e.g. carbamylated Hb in patients with renal failure) can affect the accuracy of HbA1c measurements	Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g., recovery from acute blood loss, hemolytic anemia, HbSS, HbCC, and HbSC) will falsely lower HbA1c test results regardless of the assay method used. Iron deficiency anemia is associated with higher HbA1c



Name : Mr. VINAY TIWARI
 Lab No. : 458505930
 Ref By : Dr.ANOOP AWASTHI
 Collected : 9/12/2023 4:30:00PM
 A/c Status : P
 Collected at : FATEPUR COLLECTION CENTRE
 Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob -
 9336615028
 KANPUR

Age : 49 Years
 Gender : Male
 Reported : 10/12/2023 9:35:53AM
 Report Status : Final
 Processed at : Paliwal Diagnostics Pvt. Ltd.
 117/H-1/02 ,Pandu Nagar Kanpur, Uttar
 Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
GLUCOSE, FASTING (F), PLASMA (Hexokinase)	93.80	mg/dL	70.00 - 100.00
VITAMIN B12; CYANOCOBALAMIN, SERUM (CMIA)	150.00	pg/mL	187.00 - 883.00

Notes

1. Interpretation of the result should be considered in relation to clinical circumstances.
2. It is recommended to consider supplementary testing with plasma Methylmalonic acid (MMA) or plasma homocysteine levels to determine biochemical cobalamin deficiency in presence of clinical suspicion of deficiency but indeterminate levels. Homocysteine levels are more sensitive but MMA is more specific
3. False increase in Vitamin B12 levels may be observed in patients with intrinsic factor blocking antibodies, MMA measurement should be considered in such patients
4. The concentration of Vitamin B12 obtained with different assay methods cannot be used interchangeably due to differences in assay methods and reagent specificity

VITAMIN D, 25 - HYDROXY, SERUM (Chemiluminescence)	11.15	nmol/L	75.00 - 250.00
---	-------	--------	----------------

Interpretation

LEVEL	REFERENCE RANGE IN nmol/L	COMMENTS
Deficient	< 50	High risk for developing bone disease
Insufficient	50-74	Vitamin D concentration which normalizes Parathyroid hormone concentration
Sufficient	75-250	optimal concentration for maximal health benefit
Potential intoxication	>250	High risk for toxic effects

Note

- The assay measures both D2 (Ergocalciferol) and D3 (Cholecalciferol) metabolites of vitamin D.
- 25 (OH)D is influenced by sunlight, latitude, skin pigmentation, sunscreen use and hepatic function.



Name : Mr. VINAY TIWARI	Age : 49 Years
Lab No. : 458505930	Gender : Male
Ref By : Dr.ANOOP AWASTHI	Reported : 10/12/2023 9:35:53AM
Collected : 9/12/2023 4:30:00PM	Report Status : Final
A/c Status : P	Processed at : Paliwal Diagnostics Pvt. Ltd.
Collected at : FATEPUR COLLECTION CENTRE Khel Dar, Pant Laj, Bakarganj, FATEHPUR Mob - 9336615028 KANPUR	117/H-1/02 ,Pandu Nagar Kanpur, Uttar Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
<ul style="list-style-type: none"> Optimal calcium absorption requires vitamin D 25 (OH) levels exceeding 75 nmol/L. It shows seasonal variation, with values being 40-50% lower in winter than in summer. Levels vary with age and are increased in pregnancy. A new test Vitamin D, Ultrasensitive by LC-MS/MS is also available 			

Comments

Vitamin D promotes absorption of calcium and phosphorus and mineralization of bones and teeth. Deficiency in children causes Rickets and in adults leads to Osteomalacia. It can also lead to Hypocalcemia and Tetany. Vitamin D status is best determined by measurement of 25 hydroxy vitamin D, as it is the major circulating form and has longer half life (2-3 weeks) than 1,25 Dihydroxy vitamin D (5-8 hrs).

Decreased Levels

- Inadequate exposure to sunlight
- Dietary deficiency
- Vitamin D malabsorption
- Severe Hepatocellular disease
- Drugs like Anticonvulsants
- Nephrotic syndrome

Increased levels

Vitamin D intoxication



Name : Mr. VINAY TIWARI
 Lab No. : 458505930
 Ref By : Dr.ANOOP AWASTHI
 Collected : 9/12/2023 4:30:00PM
 A/c Status : P
 Collected at : FATEPUR COLLECTION CENTRE
 Khel Dar, Pant Laj, Bakarganj, FATEHPUR
 Mob - 9336615028
 KANPUR

Age : 49 Years
 Gender : Male
 Reported : 10/12/2023 9:35:53AM
 Report Status : Final
 Processed at : Paliwal Diagnostics Pvt. Ltd.
 117/H-1/02 ,Pandu Nagar Kanpur, Uttar
 Pradesh - 208005



Test Report

Test Name	Results	Units	Bio. Ref. Interval
THYROID PROFILE,TOTAL, SERUM (CLIA)			
T3, Total	0.94	ng/mL	0.70 - 2.04
T4, Total	6.48	µg/dL	5.74 - 13.03
TSH	5.64	µIU/mL	0.34 - 5.60

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
3. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals

Dr Rahul Gautam
 DCP, Pathology
 Consultant Pathologist
 Dr Lal PathLabs Ltd

Dr Umesh Paliwal
 MD, Pathology
 Managing Director
 Paliwal - Dr Lal PathLabs Ltd

-----End of report-----



Name :	Mr. VINAY TIWARI	Age :	49 Years
Lab No. :	458505930	Gender :	Male
Ref By :	Dr.ANOOP AWASTHI	Reported :	10/12/2023 9:35:53AM
Collected :	9/12/2023 4:30:00PM	Report Status :	Final
A/c Status :	P	Processed at :	Paliwal Diagnostics Pvt. Ltd.
Collected at :	FATEPUR COLLECTION CENTRE		117/H-1/02 ,Pandu Nagar Kanpur, Uttar Pradesh - 208005
	Khel Dar, Pant Laj, Bakarganj, FATEHPUR		
	Mob - 9336615028		
	KANPUR		



Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

