

E. Wang Hospital

ice cream's
or candy
& popcorn

Lost previous
diet charts.
New chart given

20/11/18

Taking drugs
from multiple
sources,
including Toltrypin

Longitudinal:

20/08/19

A.C. & Frank:

Heminsulin Hemostat
R N

5'

492

~~288~~

~~23~~

5

214

07

~~8~~

Urine

all

• Review diet: 3 weeks / 1200
2 weeks / 1200

A.C. &

• Home glucose monitoring daily

• Rest as per different
physicians the following

No 1 R / 13 W

month

carefully
on Toltrypin.

[Signature]

27/10/18



Sanjay Gandhi Postgraduate Institute of Medical Sciences, Lucknow
Dept. of Endocrinology

Dr. C. Prasad
(2015)

For appointments: Tel: (0522) 2454075, 2454084
Medical Social Worker, OPD Hall No. 1
Doctor's signature for medical reimbursement to be taken within 6 months of examination

Patient OPD Record

Name: Shashi Prasad Singh CR No. 10007207961
Age/Sex: 60/M Diagnosis

27/10/15

- Fasting
no e10x (July 2015)

HbA1c - 8.5%

- glucometer
readings
not matching
with SMBG

- Pre dinner
> 150.

old hyperlas
niculin
6 units before
lunch.

Room no-13
no chart after
2 weeks for
dose adjustment

16/11/15
05/12/16

- Hypertension
- HTN

advis

- 1900 hrs. ⁵⁷² insulin | ⁵⁷² insulin

4 I Insulin NPH	- 26	- x	- 16
2 I Regular	- 14	- x	- 10

2/c 30 mins before meals.

- T. glycomet SR 250mg
(after meals)

- T. Cuesor 40mg 100.

- T. Aquazide 25mg 100 (even)

- T. Clozapin M (75/10) HS

R/A 4mls | 10ml
SMBG | lipids